



64341



64342




64343



64340

ISAC

| Item Number | Shade Color-Material | Body Color-Material | Product (cm) | Max W | Energy Class | IP Class | Class I/II | Exp Ctn(cm) | N.W (kg/pc) | Pcs Ctn | Pc/m3 | Pcs/40' |
|-------------|----------------------|---------------------|--------------|-----------|--------------|----------|------------|-------------|-------------|---------|-------|---------|
| 64341 | raw-aluminum | | D30xH18 | 1xE27 60W | A-E | IP20 | Class II | 90x34x35 | 0.4 | 4 | 0.027 | 2074 |
| 64342 | white-aluminum | | D30xH18 | 1xE27 60W | A-E | IP20 | Class II | 90x34x35 | 0.4 | 4 | 0.027 | 2074 |
| 64343 | black-aluminum | | D30xH18 | 1xE27 60W | A-E | IP20 | Class II | 90x34x35 | 0.4 | 4 | 0.027 | 2074 |
| 64340 | yellow-aluminum | | D30xH18 | 1xE27 60W | A-E | IP20 | Class II | 90x34x35 | 0.4 | 4 | 0.027 | 2074 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Note: | | | | | | | | | | | | |



K-FAB
SCANDINAVIA



58772



58773

ISAC

| Item Number | Shade Color-Material | Body Color-Material | Product (cm) | Max W | Energy Class | IP Class | Class I/II | Exp Ctn(cm) | N.W (kg/pc) | Pcs Ctn | Pc/m3 | Pcs/40' |
|-------------|----------------------|---------------------|--------------|-----------|--------------|----------|------------|-------------|-------------|---------|-------|---------|
| 58772 | white-aluminum | chrome-metal | D20xL72 | 3xE27 40W | A-E | IP20 | Class II | 74x22x28 | 1.1 | 1 | 0.046 | 1217 |
| 58773 | original-aluminum | chrome-metal | D20xL72 | 3xE27 40W | A-E | IP20 | Class II | 74x22x28 | 1.1 | 1 | 0.046 | 1217 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Note: | knock down packing | | | | | | | | | | | |


K-FAB
 SCANDINAVIA



15055

ISAC

| Item Number | Shade Color-Material | Body Color-Material | Product (cm) | Max W | Energy Class | IP Class | Class I/II | Exp Ctn(cm) | N.W (kg/pc) | Pcs Ctn | Pc/m3 | Pcs/40' |
|-------------|----------------------|---------------------|--------------|-----------|--------------|----------|------------|-------------|-------------|---------|-------|---------|
| 15055 | raw-aluminum | raw-metal | D15xH48 | 1xE14 40W | A-E | IP20 | Class II | 51x51x41 | 1.77 | 4 | 0.027 | 2074 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| Note: | | | | | | | | | | | | |